

NADA Number: 055-064	
Trade Name	Princillin Injection
Sponsor	Fort Dodge Animal Health, Division of Wyeth Holdings Corp.
Ingredients	Ampicillin Trihydrate
Species	Cattle, calves Swine, no use class stated or implied
Routes of Administration	Intramuscular
Dose Form	Liquid (suspension)
Drug Form	Liquid (suspension)
Dispensing Status	RX
Dosage Amount, Indications & Limitations	<p>522.90a Ampicillin trihydrate sterile suspension.</p> <p>Specifications: Each milliliter contains ampicillin trihydrate equivalent to 200 milligrams of ampicillin.</p> <p>Conditions of use:</p> <p>Cattle (calves)</p> <p>Amount: For enteritis: 3 milligrams per pound of body weight, intramuscularly, once or twice daily, for up to 3 days; For pneumonia: 3 milligrams per pound of body weight, intramuscularly, twice daily, for up to 3 days.</p> <p>Indications: Treatment of bacterial enteritis caused by E. coli and bacterial pneumonia caused by Pasteurella species susceptible to ampicillin.</p> <p>Limitations: Not for use in other animals raised for food production. Federal law restricts this drug to use by or on the order of a licensed veterinarian.</p> <p>Swine</p> <p>Amount: 3 milligrams per pound of body weight, intramuscularly, once or twice daily, for up to 3 days.</p> <p>Indications: Treatment of bacterial enteritis (colibacillosis) caused by E. coli and bacterial pneumonia caused by Pasteurella species susceptible to ampicillin.</p> <p>Limitations: Federal law restricts this drug to use by or on the order of a licensed veterinarian.</p>
Tolerances	A tolerance of 0.01 ppm is established for negligible residues of ampicillin in the uncooked edible tissues of swine, cattle, and in milk.

